

MATERIAL SAFETY DATA SHEET

Section 1 - Identification: Company and Product

Company Name and Address:

BWA, Inc.
59 Green St. Ste. 1
Brattleboro, VT 05301

HMIS Rating

Health:	1
Flammability:	2
Reactivity:	0
PPE:	B

Contact Name: Rory Brennan

Contact Telephone Numbers:

Non-Emergency – (802) 254-1330
24 Hour Emergency – CHEMTREC – (800) 424-9300

Product Name: Conditioner

CAS No.: Mixture

Section 2–Ingredients

Name	CAS#	Percent	TLV
Acrylic Polymer	Non-hazardous	20–25	NA
Water	7732-18-5	65– 75	NA
Isopropyl Alcohol	67-63-0	5– 7	OSHA TWA 400 ppm STEL 500 ppm

Section 3 – Physical Data

Physical appearance: Thin white liquid
Odor: Mild odor
pH: 7-9
Percent volatile: 77%
Water Solubility: Dilutable

Specific gravity: 1.02
Vapor density: <1 (water)
Freezing point: Same as water
Boiling point: Same as water

Section 4– Health Information

Eye Contact:

Direct contact may cause slight eye irritation

Skin Contact:

Direct contact may cause slight skin irritation

Inhalation:

Inhalation of vapor or mist may cause irritation of the nose, throat, and lungs, headache, and nausea.

Section 5– First Aid Measures

Eye Contact:

Flush eyes with plenty of water for 15 minutes. If eye irritation persists, consult a physician.

Skin Contact:

Wash affected area with soap and water. If skin irritation persists, consult a physician.

Inhalation:

Move to fresh air.

Ingestion:

Drink 1 or 2 glasses of water. Consult a physician if necessary. Never give anything by mouth to an unconscious person.

Section 6– Personal Protection Equipment

Eye Protection:

Safety glasses or goggles

Hand Protection:

Appropriate chemically resistant gloves such as those made of neoprene

Respiratory:

Use in a well ventilated area

Section 7– Fire and Explosion Hazards

Flash Point: 120°F (TCC)

Lower Explosion Limit: Not Measured

Upper Explosion Limit: Not Measured

Thermal Decomposition: Thermal decomposition of this material may yield acrylic monomers and oxides of nitrogen.

Extinguishing Media: Use extinguishing media suitable for surrounding fire.

Special Fire Fighting Procedures and Precautions: Material can splatter above 212°F. Dried product can burn. Wear self-contained breathing apparatus and protective suit.

Section 8– Accidental Releases

Use personal protection equipment
Keep away from and upwind of the spill area
Wet material can create a slippery condition

CAUTION: Keep spills and cleaning runoff from entering municipal sewers and open bodies of water.

Section 9 – Stability and Reactivity

Hazardous reactions:
None known. Stable

Materials to avoid:
None known

Hazardous Polymerization:
None known

Section 10– Disposal

Environmental precautions:
CAUTION: Keep spills and cleaning runoff from entering municipal sewers and open bodies of water.

Dispose of in accordance with all federal, state, and local regulations.

Section 11 – Regulatory Information

SARA Title III: Section 311/312:
This product is not a hazardous chemical under 29CFR1 920.1200

SARA Title III: Section 313:
This product does not contain a chemical which is listed in Section 313 at or above the de minimis reporting concentration.

California (Proposition 65):
This product contains trace levels of a component or components known to the State of California to cause cancer:
Components: Formaldehyde 50-00-0